















## Overview: Supported inkjet printers (1)

Discontinued, supported printers:  MI 9020, MI 9232	MI 9028	MI 9410	MI 9450
	 <a href="http://www.markem-ijaje.com/">www.markem-ijaje.com/</a>	 <a href="http://www.markem-ijaje.com/">www.markem-ijaje.com/</a>	 <a href="http://www.markem-ijaje.com/">www.markem-ijaje.com/</a>
<b>Performance</b>	<ul style="list-style-type: none"> <li>▪ 4 Lines</li> <li>▪ Alphanumeric</li> <li>▪ Graphics/Logo printing</li> <li>▪ Side wall printing</li> </ul>	<ul style="list-style-type: none"> <li>▪ 5 Lines</li> <li>▪ Alphanumeric, bar codes, 2D codes</li> <li>▪ Graphics/Logo printing</li> <li>▪ Side wall printing</li> </ul>	<ul style="list-style-type: none"> <li>▪ 5 Lines</li> <li>▪ Alphanumeric, bar codes, 2D codes</li> <li>▪ Graphics/Logo printing</li> <li>▪ Side wall printing</li> </ul>
<b>Other features</b>	<ul style="list-style-type: none"> <li>▪ Bench top</li> <li>▪ Key pad</li> <li>▪ USB port</li> <li>▪ Ethernet</li> </ul>	<ul style="list-style-type: none"> <li>▪ Bench top</li> <li>▪ Touch screen</li> <li>▪ USB and SD port</li> <li>▪ Ethernet</li> </ul>	<ul style="list-style-type: none"> <li>▪ Bench top</li> <li>▪ Touch screen</li> <li>▪ USB and SD port</li> <li>▪ Ethernet</li> </ul>
<b>Dimensions (HxWxD)</b>	595 x 307 x ??? mm	555 x 360 x 357 mm	555 x 360 x 357 mm
<b>Weight (kg)</b>	18.5	25	25
<b>List Price (EUR)</b>	<10'000	>10'000	>10'000
<b>Maintenance</b>	<ul style="list-style-type: none"> <li>▪ Maintenance: every 24 month</li> <li>▪ Head cleaning recommended every second week</li> <li>▪ Head can be left attached on MEDIAJET</li> </ul>	<ul style="list-style-type: none"> <li>▪ Maintenance: every 18 month</li> <li>▪ Head cleaning recommended every second week</li> <li>▪ Head can be left attached on MEDIAJET</li> </ul>	<ul style="list-style-type: none"> <li>▪ Maintenance: every 18 month</li> <li>▪ Head cleaning recommended every second week</li> <li>▪ Head can be left attached on MEDIAJET</li> </ul>
<b>INTEGRA comments</b>	Industrial interface must be ordered.	<b>Recommended MI printer</b> , lower consumable and maintenance costs. Industrial interface must be ordered.	Industrial interface must be ordered. Higher line speed and storage capacity.

## Overview: Supported inkjet printers (2)

Discontinued, supported printers:  Linx 4900, Linx 5900, Linx CJ400 Domino A320i, Domino A420i	<b>Linx 8900</b> (89xx: -10, -20, -40)	<b>Domino Ax150i</b>	<b>Domino Ax350i</b>
	 <a href="http://www.linxglobal.com">www.linxglobal.com</a>	 <a href="http://www.domino-printing.com">www.domino-printing.com</a>	 <a href="http://www.domino-printing.com">www.domino-printing.com</a>
<b>Performance</b>	<ul style="list-style-type: none"> <li>▪ 8 Lines</li> <li>▪ Alphanumeric, barcodes, 2D codes</li> <li>▪ Graphics/Logo 25 px</li> <li>▪ Side wall / bottom printing</li> </ul>	<ul style="list-style-type: none"> <li>▪ 5 Lines</li> <li>▪ Alphanumeric, bar codes, 2D codes</li> <li>▪ Graphics/Logo printing</li> <li>▪ Side wall printing</li> </ul>	<ul style="list-style-type: none"> <li>▪ 5 Lines</li> <li>▪ Alphanumeric, bar codes, 2D codes</li> <li>▪ Graphics/Logo printing</li> <li>▪ Side wall printing</li> </ul>
<b>Other features</b>	<ul style="list-style-type: none"> <li>▪ Benchtop</li> <li>▪ Touch screen</li> <li>▪ USB port</li> <li>▪ Ethernet</li> </ul>	<ul style="list-style-type: none"> <li>▪ Bench top</li> <li>▪ Touch screen</li> <li>▪ USB port</li> <li>▪ Ethernet, RS232, GPIO</li> </ul>	<ul style="list-style-type: none"> <li>▪ Bench top</li> <li>▪ Touch screen</li> <li>▪ USB port</li> <li>▪ Ethernet, RS232, GPIO</li> </ul>
<b>Dimensions (HxWxD)</b>	503 x 440 x 355 mm	373 x 400 x 393 mm	411 x 430 x 331 mm
<b>Weight (kg)</b>	24	16	22
<b>List Price (EUR)</b>	>10'000	8'300	>10'000
<b>Maintenance</b>	<ul style="list-style-type: none"> <li>▪ Maintenance: every 24 months</li> <li>▪ Head cleaning every 3 months</li> </ul>	<ul style="list-style-type: none"> <li>▪ Low-maintenance</li> <li>▪ Head can be left attached on MEDIAJET</li> </ul>	<ul style="list-style-type: none"> <li>▪ Low-maintenance</li> <li>▪ Head can be left attached on MEDIAJET</li> </ul>
<b>INTEGRA comments</b>	This reliable Linx printer replaces all previous models.	<b>Recommended Domino printer</b> Recommended, if bar codes or 2D codes needed.	Recommended, if bar codes or 2D codes needed.

## Ordering information MEDIAJET inkjet printer connections kits

Discontinued, supported printers:  MI 9020, MI 9232, Linx 4900, Linx 5900, Linx CJ400 Domino A320i, Domino A420i	Markem-Image (MI) <b>9020/9028</b>	Markem-Image (MI) <b>9232/9410/9450</b>	Linx <b>4900/5900/8900/            CJ400</b> (side wall printing)	Linx <b>4900/5900/8900</b> (bottom printing)	Domino <b>A320i/A420i/            Ax150i/Ax350i</b>
					
	Part number				
<b>Printer connection kit:</b> with printer head fixing device and interface cable 	103080	103091	113845	113840	113060
<b>Cart</b> 	-	-	-	113841 (Linx 4900/5900 only)	-
<b>Interface cable (spare part)</b> 	103081	103081	113853	113853	103082
<b>INTEGRA comments</b>	Compatible with Ø 90 mm, Ø 60 mm or Ø 35 mm Petri dishes.	Compatible with Ø 90 mm or Ø 60 mm Petri dishes.	Compatible with Ø 90 mm or Ø 60 mm Petri dishes.	Compatible with Ø 90 mm, Ø 60 mm or Ø 35 mm Petri dishes. Connection kit does not fit to Linx CJ400.	Compatible with Ø 90 mm or Ø 60 mm Petri dishes.